

Message

From: Zirilli, Alysa [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FB515328773045158A0C7F70448ABE64-ASUERO]
Sent: 7/12/2021 3:13:21 PM
To: George Rizzo (Rizzo.George@epa.gov) [Rizzo.George@epa.gov]
Subject: RE: NEED INPUT GEORGE/RUBY: Clarksburg: Example Sampling Plans

Hi George. We found a blank template for a sampling plan on Region 8's website for its DI systems. Any luck finding something similar from one of our DI systems? Leslie would like to have ECAD review whatever we find before we share it with WVDHHR. There's talk of a 3:30pm deadline to share something. If I can assist find something in our DI files – or if Ruby can assist – please don't hesitate to ask.

Thanks,
Alysa

Region 8:

https://www.epa.gov/sites/production/files/2017-11/documents/lcr_tap_sample_site_plan_instructions.pdf
https://www.epa.gov/sites/production/files/2016-05/documents/lcr_tap_sample_site_plan.pdf

From: Zirilli, Alysa
Sent: Monday, July 12, 2021 9:23 AM
To: George Rizzo (Rizzo.George@epa.gov) <Rizzo.George@epa.gov>; Stanmyer, Ruby <Stanmyer.Ruby@epa.gov>
Subject: NEED INPUT GEORGE/RUBY: Clarksburg: Example Sampling Plans

Good morning, George and Ruby. I hope you both had a relaxing weekend. I have an ask of both of you for today:

Ex. 5 Deliberative Process (DP)

Leslie suggested that if WVDHHR doesn't have an example to share with Clarksburg then we (3WD21) should share one. **George**, can you please find an example in one of the submissions you've reviewed for any of our DC systems? The date of submittal isn't important, and even if it doesn't have all of the parameters listed in the Order, at least we could provide something.

Ruby, any chance you've come across examples of what a LCR plan would look like in your LCR work, that you can share?

The Order requires (Section B.2):

- Materials inventory
- Sampling site plan
- Identification of method of any additional special purpose sampling in an effort to locate additional lead service lines or lead components in the system
- Identification of the method of determining and installing proposed corrosion control treatment, including timelines
- Identification of the method for additional lead service line replacements, and whether full or partial noting that full replacement is the better practice

George and Ruby, if any of the examples you find need redactions I can do it with Adobe Pro (e.g.: names, addresses, etc.).

Please let me know how I can assist! Thank you for your continued efforts on this; I know you've had to drop other things to put your attention here and will likely have to do so again this week. It is much appreciated.

Thank you,
Alysa

From: Vance, Meredith J <Meredith.J.Vance@wv.gov>
Sent: Friday, July 09, 2021 4:49 PM
To: Zirilli, Alysa <Zirilli.Alysa@epa.gov>; Michelle Cochran <michelle.L.Cochran@wv.gov>
Cc: Crumlish, Karen <Crumlish.Karen@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Stanmyer, Ruby <Stanmyer.Ruby@epa.gov>; Rizzo, George <Rizzo.George@epa.gov>; Henry, JeannaR <Henry.Jeannar@epa.gov>; Calcinore, Sara <calcinore.sara@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: RE: [External] Clarksburg: Example Sampling Plans

I think that would be helpful. Thank you

From: Zirilli, Alysa <Zirilli.Alysa@epa.gov>
Sent: Friday, July 9, 2021 4:45 PM
To: Cochran, Michelle L <Michelle.L.Cochran@wv.gov>; Vance, Meredith J <Meredith.J.Vance@wv.gov>
Cc: Crumlish, Karen <Crumlish.Karen@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Stanmyer, Ruby <Stanmyer.Ruby@epa.gov>; Rizzo, George <Rizzo.George@epa.gov>; Henry, JeannaR <henry.jeannar@epa.gov>; Calcinore, Sara <calcinore.sara@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: [External] Clarksburg: Example Sampling Plans

Hi, Michelle and Meredith. WVDHHR's administrative order to Clarksburg requires the system to develop a corrective action plan in accordance with the LCR within 30 days (Section B.2 of the Order). Does WVDHHR have an example format that it can provide to Clarksburg? If not, and if it would be helpful to Clarksburg, our Deputy Division Director suggested that our office provide an example to you to share with the system. Perhaps just seeing the format of what a materials inventory or sampling plan could look like would help Clarksburg spur or keep momentum. If we can assist in this effort, we stand ready.

Kind regards,
Alysa

Alysa Zirilli, P.G.
Acting Chief
Drinking Water Section
EPA Region III
Phone: (215) 814-5733
zirilli.alysa@epa.gov